



easyclim

**CLEANING SOLUTIONS
AND DISINFECTION**

www.easyclim.fr

Catalog 2025
Edition N°1



*Simplified maintenance
for your thermodynamic systems*

SUMMARY

Cleaners

Easypro.....	p.2
Easypro Max.....	p.3
Easypower.....	p.4
Easyvap.....	p.5
Easyspray.....	p.6
Easycompact.....	p.7
Easynet.....	p.8
Coilpro CC140.....	p.9
Coilpro CC201T.....	p.10
Coilpro HD CC400 HF.....	p.11

Cleaning Accessories.....	p.12
----------------------------------	-------------

EASYPRO

12V portable HVAC system cleaner



✓ **Fast, efficient system cleaning, decontamination of indoor units and cassettes, saving you and your customers time, money and quality. and your customers.**

SPECIFICATIONS

- Max Pressure : 9 bars
- Removable 15-liter tank
- « QUICK CONNECT » nozzle change system
- Flexible hose : 4 m

ACCESSORIES SUPPLIED WITH PRODUCT :

- 25 cm spray wand with 90° spray pattern
- 2 spray nozzles
- 220V battery charger
- Integrated cigarette-lighter socket



✓ INTERIOR UNITS ✓ OUTDOOR UNITS

LABELS

EASYPRO - 12V portable HVAC system cleaner

CODE

ESY05006

9 bars

15 L

12 V

45 min continuous

EASYPRO MAX

12V portable HVAC system cleaner
2-tanks



✓ **Fast, efficient system cleaning, decontamination of indoor units and cassettes, saving you and your customers time, money and quality. and your customers.**

SPECIFICATIONS

- Max pressure : 9 bars
- Removable 15 + 3,5 L tank
- « QUICK CONNECT » nozzle change system
- Flexible hose : 4 m

ACCESSORIES SUPPLIED WITH PRODUCT :

- 25 cm spray wand with 90° spray pattern
- 2 buses de pulvérisation
- 220V battery charger
- Integrated cigarette-lighter socket



✓ INTERIOR UNITS ✓ OUTDOOR UNITS

LABELS

EASYPRO MAX - 12V portable HVAC system cleaner 2-tank

CODE

ESY05008

9 bars

15 + 3,5 L

12 V

45 min continuous

EASYPower

220V HVAC system cleaner



AVAILABLE
APRIL 2025

- ✓ Powered by 220 V, this product is ideal for long long cleaning sessions.
- ✓ Fast, efficient cleaning of installations, decontamination of **OUTDOOR UNITS and cassettes**, saving time, money and for you and your customers.

SPECIFICATIONS

- Max pressure : 9 bars
- Flexible hose : 4 m
- With wheels
- « QUICK CONNECT » connection

ACCESSORIES SUPPLIED WITH PRODUCT :

- 25 cm spray wand with 90° spray pattern
- 2 spray nozzles



INTERIOR UNITS OUTDOOR UNITS

LABELS

EASYPower - 220V HVAC system cleaner

CODE

ESY05010

9 bars

15 L

220 V

EASYVAP

20V Multifonction cleaner



- ✓ Clean, degrease and disinfect without chemicals!

The EASYVAP is a self-priming device that enables you to clean, disinfect and degrease all types of appliances: air conditioners, hoods, refrigerators, washing machines, water heaters and other household appliances.

Easy to use, it features a wide range of functions:


- hot water,
- cold water,
- steam,
- pulse cleaning.

SPECIFICATIONS

- Power supply : 230V
- Suction hose : 1,5 m
- Outlet hose : 3 m
- Max. pressure : 6 bar
- Hot water temperature : 60°C
- Steam temperature : 100/120°C

ACCESSORIES INCLUDED :

- Multifonction gun
- 6 water nozzles
- 3 steam nozzles
- Specific water heater hose



INTERIOR UNITS OUTDOOR UNITS

LABELS

EASYVAP - 20V Multifonction cleaner

CODE

ESY05004

6 bars

120° C

220 V

EASYSPRAY

20V multifunction sprayer



✓ Easyspray enables direct, precise application and precise application to the surfaces to be time and effort.

SPECIFICATIONS

- Multifunctional cordless spray-cleaner
- Powered by 20V battery
- Motor-driven pump for continuous autonomy
- 15L tank with large opening
- Long operating time
- Can be worn on the back with adjustable strap
- Max. pressure 5 bar
- Ergonomic design
- Flow rate: 0.9 to 1.8 L/min
- 6 accessories: 1 lance, 4 spray nozzles and 1 low-pressure flat-jet nozzle

ACCESSORIES SUPPLIED WITH PRODUCT :



INTERIOR UNITS OUTDOOR UNITS

LABELS

EASYSPRAY - 20V multifunction sprayer

CODE

ESY05002

5 bars

15 L

20 V

45 min continuous

EASYCOMPACT

12V Compact sprayer




✓ The Easycompact is easy to transport and use.

Autonomous thanks to its tank and battery, for cleaning indoor and outdoor air-conditioning and outdoor air-conditioning units, as well as applications: car, bike, terrace...

SPECIFICATIONS

- Compact cordless spray-cleaner
- Removable 8L tank
- 12V battery
- Charging time : 5H
- Empty weight : 2,1kg
- Max. pressure : 5 to 7 bars
- Compact and economical
- Flexible hose: 3.25m with storage water tank



INTERIOR UNITS OUTDOOR UNITS

LABELS

EASYCOMPACT - 12V Compact sprayer

CODE

ESY05001

5-7 bars

8 L

12 V

30 min continuous

EASYNET

Electric hand sprayer




AVAILABLE
APRIL 2025

✓ Small battery-operated sprayer for rinsing or spraying the cleaning product

SPECIFICATIONS

- 520 ml plastic bottle
- 2200 mAh battery - 3.7 Volts
- Charging time 3-4 hours
- Operating time 20 min continuous
- Several spray modes
- USB-C charger
- Dimensions 50 x 43 x 28.5 mm



INTERIOR UNITS OUTDOOR UNITS

LABELS

EASYNET - Electric hand sprayer

CODE

ESY05202

3 bars

520 ml

3,7 V

20 min continuous

COILPRO CC140

2-tank cart cleaner



✓ The CC-140 CoilPro effectively cleans outdoor units and OUTDOOR UNITS without damaging the fins, with adjustable pressure for easy rinsing.

Equipped with an ergonomic cart and rechargeable battery, offering great mobility and autonomy with its 2 x 19L tanks.

SPECIFICATIONS

- Power supply: 12 VDC or 230 V, 50/60 Hz.
- Water requirement: built-in reservoir or minimum 1.4 Bar at 5.7 l/min.
- Outlet water pressure: 2.8 to 9.7 Bar.
- Outlet water flow: 1 to 3.8 l/min.
- Pump: volumetric diaphragm.
- Hose: 7.6 m, reinforced.
- Spray wand(s): 460 mm, galvanized steel.
- Nozzle: quadruple quick-release coupling.
- Water tank: 19 liters.
- Chemical injector: upstream, 6:1 ratio.
- Chemical tank: 19 liters.
- Dimensions: 1,120 mm (H) x 660 mm (L) x 460 mm (W).
- Weight: 34 kg, net dry.



INTERIOR UNITS OUTDOOR UNITS

LABELS

COILPRO CC140 - 2-tank cart cleaner

CODE

ESY05502

9,7 bars

19 L + 19 L

12 V or 220 V

COILPRO CC201T

220V cleaner 30L



✓ The CC-201T is a portable cleaner designed to effectively maintain air-conditioning coils.

It combines a 13.7 BAR pressurized water system, an integrated 30-liter tank, and an exclusive CoilShine-T tablet cleaner to remove dirt and debris while inhibiting biological growth. Lightweight and easy to use, it replaces bulky cleaners with a compact, high-performance solution for professionals.

SPECIFICATIONS

- Power supply: 230 V, 50/60 Hz.
- Water requirement: built-in reservoir or minimum 1.4 Bar at 5.7 l/min.
- Water outlet pressure: 14 Bar.
- Water output: 3.4 l/min.
- Pump: diaphragm.
- Hose: 7.62 m, reinforced.
- Spray wand(s): 460 mm, galvanized steel.
- Nozzle: double quick-release coupling.
- Water tank: 30 liters.
- Dimensions: 1,118 mm (H) x 368 mm (L) x 686 mm (W).
- Weight: 29.5 kg, net dry.



INTERIOR UNITS OUTDOOR UNITS

LABELS

COILPRO CC201T - 220V cleaner 30L

CODE

ESY05506

14 bars

30 L

220 V

COILPRO HD CC400 HF


Outdoor unit cleaner



✓ The CoilPro CC400HF delivers 27 bar of cleaning power, effectively and safely removing dirt, debris, biological deposits and other residues from the thick coils of refrigeration unit evaporators and condensers.

SPECIFICATIONS

- Power supply: 230 V, 50/60 Hz.
- Water connection: 3/4".
- Water outlet pressure: 28 Bar.
- Outlet water flow rate: 11.4 l/min.
- Pump: axial.
- Hose: 3.7 m, reinforced.
- Spray wand(s): 915 mm and 460 mm.
- Nozzle: double quick-release coupling
- Chemical injector: upstream, at a ratio of 10/1.
- Dimensions: 330 mm (H) x 760 mm (L) x 300 mm (W).
- Weight: 20 kg, net dry.



INTERIOR UNITS OUTDOOR UNITS

LABELS

COILPRO HD CC400 HF - Outdoor unit cleaner

CODE

ESY05504

28 bars

230 V

ACCESSORIES EASYPRO ET EASYPRO MAX



ESY80028
15L tank




ESY80029
Double tank 15L + 3,5L



ESY80007
Unclogging kit 5 m



ESY80004
Rigid lance
25 cm - 90°



ESY80006
Rigid lance
99 cm - 90°



ESY80011
Rigid extension lead 60 cm



ESY80009
Flexible lance
60 cm - 0°



ESY80001
Set of 6 lances
3 lances 17 cm - 45°, 90°, 130°
3 lances 34 cm - 45°, 90°, 130°



ESY80030
Adapter for continuous mains operation



ESY80003
Quick coupling 45°



ESY80005
Quick coupling 90°



ESY80008
Nozzle 15°



ESY80010
Nozzle 0°











SPARE PARTS EASYPRO ET EASYPRO MAX






CODE CBM

LABELS	CODE CBM
	ESY82002
	ESY82004
	ESY82006
	ESY82008
	ESY82010
	ESY82012
	ESY82014
	ESY82016
	ESY82018
	ESY82020
	ESY82022
	ESY82024
	ESY82026
	ESY82028
	ESY82030

SPARE PARTS EASYSPRAY


	ESY81002
	ESY81004
	ESY81006
	ESY81008
	ESY81010
	ESY81012
	ESY81014
	ESY81016
	ESY81018
	ESY81020

SPARE PARTS EASYCOMPACT

	ESY81030
	ESY81032
	ESY81034

REUSABLE CLEANING COVER

- Double-stitched
- Double-sided waterproofing.
- Reinforced weld.
- Evacuation outlet ø16 mm.
- Available in size L for splits up to 1100 mm long, and size XL for splits up to 1500 mm long.



LABELS

LABELS	CODE
Reusable cleaning cover L size - 1100 mm max	ESY10002
Reusable cleaning cover XL size - 1500 mm max	ESY10004

CLEANING TARPS CASSETTE

- Outlet ø16 mm
- Transport bag
- Supplied complete with carry bag
- Available in size L for 1200 x 1200 mm cassettes



LABELS

LABELS	CODE
Cleaning tarps cassette L size - 1200 x 1200 mm	ESY10010



DISPOSABLE CLEANING COVER

- Quick and easy to install: ideal for routine maintenance.
- Equipped with a 1.6 m outlet hose for draining away dirty water.
- Reinforced weld: high-quality plastic to prevent leakage.
- Total protection: protects walls, carpets, equipment and user during maintenance.
- Integrated adjustment cord: adjusts the tarpaulin to the size of your air conditioner.
- Available in size L for splits up to 1000 mm, and size XL for splits up to up to 1500 mm long.



LABELS

LABELS	CODE
Disposable cleaning cover L size - 1000 mm max	ESY10006
Disposable cleaning cover XL size - 1500 mm max	ESY10008

EASYTANK

10L collapsible tank



- With cap.
- Dimensions : 330 x 200 x 360 mm.
- Folds easily for convenient storage.



LABELS	CODE
10L collapsible tank	ESY10102

EASYBUCKET

Collapsible bucket 15L

- Supplied with lid.
- Dimensions : 370 x 220 x 280 mm.
- Folds easily for convenient storage.



LABELS	CODE
Collapsible bucket 15L	ESY10104

EASYROLL

Transport cart

- Compact, handy and practical: folds in on itself.
- Unfolded dimensions: 72 x 40 x 76 cm.
- Capacity: 72 x 40 x 30 cm.
- Robust: max. 100 kg.
- Integrated storage system.



LABELS	CODE
Transport cart Easyroll 72 x 40 x 30 cm	ESY70002

EASYROLL PRO

Transport cart

- Compact, handy and practical: folds in on itself.
- Unfolded dimensions : 96 x 59 x 98 cm.
- Capacity : 90 x 50 x 30 cm.
- Robust: max. 100 kg.
- Aluminum platform.
- Inflatable tires.



LABELS	CODE
Transport cart Easyroll Pro 90 x 50 x 30 cm	ESY70004

EASYCOVER

Ground protection tarpaulin



LABELS	CODE
Small format frame 4 X 4 m	ESY10050
Large format frame 4 x 6 m	ESY10052



EASYWIPE

Microfiber cloths

LABELS	CODE
Small size wipes 23 x 23 cm - 12 pieces	ESY40004
Large size wipes 30 x 30 cm - 30 pieces	ESY40002



EASYBRUSH

Telescopic wash brush - 6m

LABELS	CODE
Telescopic wash brush for photovoltaic panels	ESY30004



EASYGUN


Foamer gun

- Fits standard garden hose

LABELS	CODE
EASYGUN Foamer gun	ESY20002



easyclim.fr



Technologies et composants pour le génie climatique

3, rue Jules Verne • Parc d'Activités Airspace
33187 LE HAILLAN Cedex • FRANCE
Tél. 05 56 08 62 59 • Fax : 05 56 42 58 15

www.cbm.fr • info@cbm.fr